

## ISUZU WATER TRUCK





## SPECIFICATIONS

### ISUZU WATER TRUCK COMPLETE WITH:

#### OPERATING SPECIFICATION:

Chassis: Isuzu FVZ260-3006x4 Truck  
Transmission: Automatic  
Power: 296HP  
GVM: 24,000kg  
Auto headlights

#### BODY:

Water Tank  
Capacity: 14,000 L  
Heavy Duty steel tank construction  
Longitudinal and transverse baffles fitted  
Top fill funnel on RHS of tank  
Water level indicator fitted  
Highway legal level valve on rear of tank

#### ENGINE:

Isuzu FVZ260-300 diesel engine  
296HP output

#### FALL PROTECTION AND

#### GAURDS:

Safety railing and ladder fitted for tank access  
Self-closing safety gate  
Handrails, walkways and ladder compliant with AS1657-2013

#### TRAVEL SYSTEM:

6x4 drive configuration  
Automatic transmission

#### ELECTRICAL SYSTEM:

Two LED amber rotating beacons  
LED high and low level tail lights  
Low level rear bumper tail lights  
Main battery isolator with Locksafe lockouts  
Start isolator with Locksafe lockouts  
LED work lights:  
Two rear top mounted  
One front lower light each side on swing brackets  
One fill point illumination light  
All work lights controlled from cabin  
24V Cat jump start receptacles  
LED illuminated flag pole  
Low hydraulic oil level warning light  
Rear view camera with multimedia screen  
Reverse alarm

#### OPERATOR ENVIRONMENT:

Joystick controlled remote water cannon  
In-cabin spray and pneumatic controls  
Air switch control panel inside cabin

#### SERVICE CAPACITIES:

Hydraulic Oil Tank: 200L  
Tank fill system with 80mm camlock Spare pressure outlet with butterfly valve and 3" camlock coupling  
4" dump valve  
Reel-ezi 15m x 25mm manual rewind hose reel



## SPECIFICATIONS

### ISUZU WATER TRUCK COMPLETE WITH:

#### WATER PUMP:

Southern Cross ISO 100 x 65 x 250 hydraulic powered water pump  
Front mounted to reduce dust and water exposure  
Tank fill capability through pump system

#### WATER CANNON:

Magnum hydraulic powered remote control water cannon  
Controlled by joystick in truck cabin  
Mounted top rear RHS of tank

#### WATER APPLICATION SYSTEM:

Vertical batter sprays left and right  
Pneumatic valves with stainless steel spray heads  
Left, centre and right fan sprays  
Left and right 6"-3" drop bars  
Camlocks and poly spray bars fitted  
All pneumatic functions controlled from cabin  
Adjustable spray heads

#### EMERGENCY EQUIPMENT:

One 4.5kg ABE fire extinguisher  
Two emergency stop buttons: One in cab  
One behind cab RHS

